




Flanged Attenuator

◆ Features and Electrical specifications:

| | | |
|---------------------------|--|------|
| Model | RFTXXN-150AM2595B-3 (XX=Attenuation value) | |
| Impedance | 50 Ω | |
| Frequency Range | DC~3.0GHz | |
| VSWR | 1.25 max | |
| Rated Power | 150 W | |
| Attenuation Value(dB) | 3 | 4 |
| Attenuation Tolerance(dB) | ±0.65 | ±0.7 |
| Temperature coefficient | <150ppm/°C | |
| Substrate Material | AlN | |
| Porcelain Hat Material | Al ₂ O ₃ | |
| Flange | Nickel-plated copper | |
| Lead | 99.99% Sterling Silver | |
| Resistance Technology | Thick Film | |
| Operating Temperature | -55 to +150°C (See de Power De-rating) | |

◆ Outline Drawing (Unit: mm/inch):



Lead length can be customized according to customer requirements

Dimensional tolerance: 5% unless otherwise stated

RFTYT Technology Co., LTD.

<http://www.rftyt.com>

E-mail: Jackson@rftyt.com

Cerman.wu@rftyt.com

TEL: +86-13088268828

FAX: +86-816-2846565


218# Wenwu Middle Road, Jinkai District, Mianyang, Sichuan Province China

Ready For Tackling Your Trouble




Typical Performance:


Graph



◆Installation Method:




◆Power De-rating:





◆ **P/N Designation:**



◆ **Use attention:**

- After the storage period of newly purchased parts exceeds 6 months, attention should be paid to weldability before use. It is recommended to store in vacuum packaging.
- The ground needs optimal heat transfer.
- The manual welding lead should be used under a constant temperature soldering iron of no more than 350 degrees, and the welding time should be controlled within 5 seconds.
- In order to meet the drawing requirements, it is necessary to install a sufficiently large radiator. Metal surfaces and radiators need to be coated with a very thin layer of thermal grease.
- If necessary, add air or water cooling.

◆ **Instructions:**

- Custom designed RF attenuators, RF resistors and RF terminals are available.